

A

Attorney's Docket No. 042390.P4500

Patent

ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

1c405 U.S. PTO
09/29/97

SIR: Transmitted herewith for filing is the **nonprovisional patent application** of

Inventor(s): Jean M. Goldschmidt Iki, Anthony Alexander Shah-Nazaroff, Christopher D. Williams
and Kathleen Lane

For: GRAPHICAL USER INTERFACE WITH MULTIMEDIA IDENTIFIERS

(Title)

Enclosed are:

- ☒ 7 sheet(s) of Drawings.
☐ An Assignment of the invention to _____
☐ Assignment Cover Sheet Form PTO-1595.
☒ A Declaration and Power of Attorney (_____ signed/ ☒ unsigned).
☐ A Verified Statement to establish Small Entity Status under 37 C.F.R. §§ 1.9 and 1.27.

The Filing Fee has been calculated as shown below:

| | (Col. 1) | | (Col. 2) | |
|--|-----------|--------|-----------|--|
| For: | No. Filed | | No. Extra | |
| Basic Fee: | | | | |
| Total Claims: | 19 | - 20 * | 0 | |
| Indep. Claims: | 4 | - 3 * | 1 | |
| <input type="checkbox"/> Multiple Dependent Claim(s) Presented | | | | |

* If the difference is less than zero,
enter "0" in Col. 2.

| SMALL ENTITY | |
|--------------|--------|
| Rate | Fee |
| | \$ 385 |
| x 11 | \$ |
| x 40 | \$ |
| + 130 | \$ |
| TOTAL | \$ |

| OTHER THAN A SMALL ENTITY | |
|---------------------------|--------|
| Rate | Fee |
| | \$ 770 |
| x 22 | \$ 0 |
| x 80 | \$ 80 |
| + 260 | \$ |
| TOTAL | \$ 850 |

- ☒ A check for \$ 850.00 for the filing fee is enclosed.
☐ A check for \$ _____ for recordation of the Assignment is enclosed.

"Express Mail" mailing label number EM564110872US

Date of Deposit September 29, 1997

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Gloria R. Chavarria

(Typed or printed name of person mailing paper or fee)

(Signature of person mailing paper or fee)

X The Commissioner of Patents and Trademarks is hereby authorized to charge payment of the following fees associated with this communication, or credit any overpayment, to our Deposit Account No. 02-2666. **A duplicate copy of this sheet is enclosed.**

 X Any additional filing fees required under 37 C.F.R. § 1.16.

 X Any patent application processing fees under 37 C.F.R. § 1.17.

 X The Commissioner of Patents and Trademarks is hereby authorized to charge payment of the following fees during the pendency of this application, or credit any overpayment, to our Deposit Account No. 02-2666. **A duplicate copy of this sheet is enclosed.**

 X Any processing fees under 37 C.F.R. § 1.17, including any extension fees.

 X Any filing fees under 37 C.F.R. § 1.16 for presentation of extra claims.

 X Send all correspondence to the undersigned at BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, 12400 Wilshire Boulevard, Seventh Floor, Los Angeles, California 90025, and direct all telephone calls to the undersigned at (408) 720-8598.

Respectfully submitted,

BLAKELY SOKOLOFF TAYLOR & ZAFMAN LLP

Date: September 24, 1997

By Lawrence M. Cho
Lawrence M. Cho

Reg. No.: 39,942

12400 Wilshire Boulevard
Seventh Floor
Los Angeles, California 90025
(408) 720-8598

UNITED STATES PATENT APPLICATION

FOR

GRAPHICAL USER INTERFACE WITH MULTIMEDIA IDENTIFIERS

Inventors:

Jean M. Goldschmidt Iki
Anthony Alexander Shah-Nazaroff
Christopher D. Williams
Kathleen Lane

prepared by:

BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP
12400 Wilshire Blvd., 7th Floor
Los Angeles, California 90025-1026
(408) 720-8598

Attorney Docket No.: 042390.P4500

EXPRESS MAIL CERTIFICATE OF MAILING

"Express Mail" mailing label number EM564110872US

Date of Deposit September 29, 1997

I hereby certify that I am causing this paper or fee to be deposited with the United States Postal Service "Express Mail Post Office to Addressee" service on the date indicated above and that this paper or fee has been addressed to the Commissioner of Patents and Trademarks, Washington, D. C. 20231

Gloria R. Chavarria

(Typed or printed name of person mailing paper or fee)

Gloria R. Chavarria
(Signature of person mailing paper or fee)

GRAPHICAL USER INTERFACE WITH MULTIMEDIA IDENTIFIERS

FIELD OF THE INVENTION

The present invention relates to the field of entertainment systems. Specifically,
5 the present invention relates to graphical user interfaces (GUI) in entertainment systems
that display entertainment system data.

BACKGROUND OF THE INVENTION

A current trend in the electronics and computer industry is the convergence of
10 computer systems and more traditional entertainment system components. As this
convergence continues, more components in these systems will be combined together
resulting in an increase in entertainment selections and entertainment system data
available to users.

Current mechanisms for storing and providing entertainment system data to
15 users are component specific. For example, programming guides made available by
many cable companies provide some entertainment system data relating to programming
selections available to the users. Typically, the programming guides provide an on-
screen display of programming information for channels supported by the cable system.
The programming guides, however, do not store or display entertainment system data
20 from sources other than the cable company to the user. Thus, for example, if a user's
entertainment system includes a digital satellite system (DSS), a vertical blanking
interval (VBI) decoder, a modem, or a video library, the entertainment system data from
these sources and entertainment system data of entertainment selections from these
sources would not be available to the user on the cable system's programming guide. In
25 addition, the programming guides typically display limited information about a program
selection. The information is usually limited to the title of the programming selection,

the time it is broadcasted, the channel broadcasting the selection, and a summary of the selection. The information is typically presented in a static text format.

20250705 09:00

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not by way of limitation in the figures of the accompanying drawings, in which like references indicate similar elements and in which:

5 Figure 1 is a block diagram illustrating the system components of one embodiment of an entertainment system according to the present invention;

Figure 2 is a block diagram illustrating one embodiment of a system controller according to the present invention;

10 Figure 3 is a block diagram of modules implementing an embodiment of the present invention;

Figure 4 illustrates entertainment system data records stored in a database according to an embodiment of the present invention;

Figure 5 illustrates a graphical user interface according to a first embodiment of the present invention;

15 Figure 6 illustrates a graphical user interface according to a second embodiment of the present invention; and

Figure 7 is a flow chart illustrating a method for managing entertainment system data according to an embodiment of the present invention.

DETAILED DESCRIPTION

Figure 1 is a block diagram illustrating system components of an entertainment system 100 according to one embodiment of the present invention. The entertainment system includes a common input/output (I/O) bus 110 that connects the system components in the entertainment system 100 together. It should be appreciated that the common I/O bus 110 is illustrated to simplify the routing of signals between the computer system components. The common I/O bus 110 may represent a plurality of known mechanisms and techniques for routing I/O signals between the computer system components. For example, the common I/O bus 110 may include an appropriate number of independent audio "patch" cables that rout audio signals, coaxial cables that rout video signals, two-wire serial lines or infrared or radio frequency transceivers that rout control signals, or other routing mechanisms that rout other signals.

In the illustrated embodiment, the entertainment system 100 includes a television/monitor 121, video recorder/playback device 122, digital video disk (DVD) recorder/playback device 123, audio/video tuner and amplifier 124, audio playback/recorder device 125, and compact disk player 126 coupled to the common I/O bus. The video recorder/playback device 122, DVD recorder/playback device 123, audio playback/recorder device 125, and compact disk player 126 may be single disk or single cassette devices, or alternatively may be multiple disk or multiple cassette devices.

In addition, the entertainment system 100 includes a speaker system 131, microphone 132, video camera 133, and a wireless I/O control device 134. In one embodiment, wireless I/O control device 134 is an entertainment system remote control unit which communicates with the components of the entertainment system 100 through IR signals. In another embodiment, wireless I/O control device 134 may be a wireless keyboard and cursor positioning device that communicates with the components of entertainment system 100 through IR signals or RF signals. In yet another embodiment,

wireless I/O control device 134 may be an IR remote control device similar in appearance to a typical entertainment system remote control with the added feature of a track-ball or other navigational mechanisms which allows a user to position a cursor on a display of the entertainment system 100.

5 The entertainment system 100 also includes a system controller 140. According to one embodiment of the present invention, the system controller 140 operates to store and display entertainment system data available from a plurality of entertainment system data sources. According to another embodiment of the present invention, system controller 140 is configured to control a wide variety of features associated with each of
10 the system components. As shown in Figure 1, system controller 140 is coupled, either directly or indirectly, to each of the system components, as necessary, through I/O bus 110. In one embodiment, in addition to or in place of I/O bus 110, system controller 140 is configured with a wireless communication transmitter (or transceiver), which is capable of communicating with the system components via IR signals or RF signals
15 110'. Regardless of the control medium, the system controller 140 is configured to control one or more of the entertainment system components of the entertainment system 100, although it is understood that each of the components may be individually controlled with wireless I/O control device 134.

As illustrated in Figure 1, system 100 may be configured to receive
20 entertainment system data from a wide variety of entertainment system data sources. In one embodiment, entertainment system 100 receives programming input from any or all of the following sources: cable broadcast 141 (including from the vertical blanking interval (VBI), or a separate channel), satellite broadcast 142 (e.g., via a satellite dish), very high frequency (VHF) or ultra high frequency (UHF) radio frequency
25 communication of the broadcast networks 143 (e.g., via an aerial antenna), telephone/computer network interface 144, and/or information stored locally at system

controller 140 or another component of the entertainment system 100. Further, it will be appreciated by one skilled in the art, that cable broadcast input 141, satellite broadcast input 142 and VHF/UHF input 143 may receive input from digital broadcast programming and digital cable programming.

5 Although the present invention is described in the context of the exemplary embodiments presented in the figures, those skilled in the art will appreciate that the present invention is not limited to these embodiments and may be practiced in a variety of alternate embodiments. Accordingly, the innovative features of the present invention may be practiced in a system of greater or lesser complexity than that of the system depicted in Figure 1.

10 Figure 2 is a block diagram illustrating an embodiment of a computer system 200 that may be used to implement the system controller 140 according to the present invention. The computer system 200 includes a processor 201 that processes data signals. The processor 201 may be a complex instruction set computer (CISC) microprocessor, a reduced instruction set computing (RISC) microprocessor, a very long instruction work (VLIW) microprocessor, a processor implementing a combination of instruction sets, or other processor device. Figure 2 shows an example of the present invention implemented on a single processor computer system 200. However, it is understood that the present invention may be implemented in a computer system having multiple processors. The processor 201 is coupled to a CPU bus 210 which transmits data signals between processor 201 and other components in the computer system 200.

15 As an example, memory 213 may be a dynamic random access memory (DRAM) device, a static random access memory (SRAM) device, or other memory device. The memory 213 stores data signals that are executed by the processor 201.

20 A bridge memory controller 211 is coupled to the CPU bus 210 and the memory 213. The bridge memory controller 211 directs data signals between the processor 201,

the memory 213, and other components in the computer system 200 and bridges the data signals from these components to a first I/O bus 220.

The first I/O bus 220 may be a single bus or a combination of multiple buses.

As an example, the first I/O bus 220 maybe a high performance I/O bus that operates at

5 high throughput rates. The first I/O bus 220 may include for example a Peripheral

Components Interconnect (PCI) bus, a Personal Computer Memory Card International

Association (PCMCIA) bus, a NuBus, or other buses. The first I/O bus 220 provides

communication links between components in the computer system 200. A network

controller 221 links the computer system 200 to a network of computers and supports

10 communication among the machines. A display device controller 222 is coupled to the

first I/O bus 220. The display device controller 222 allows coupling of a display device

to the computer system 200 and acts as an interface between the display device and the

computer system 200. The display device controller may be a monochrome display

adapter (MDA) card, a color graphics adapter (CGA) card, an enhanced graphics adapter

15 (EGA) card, an extended graphics array (XGA) card or other display device controller.

The display device may be a television set, a computer monitor, a flat panel display or

other display device. The display device receives data signals from the processor 201

through the display device controller 222 and displays the information and data signals

to the user of the computer system 200.

20 A second I/O bus 230 may be a single bus or a combination of multiple buses.

The second I/O bus 230 may include an Industry Standard Architecture (ISA) bus, an

Extended Industry Standard Architecture (EISA) bus, or other buses. The second I/O

bus 230 provides communication links between components in the computer system

200. A keyboard interface 232 may be a keyboard controller or other keyboard

25 interface. The keyboard interface 232 may be a dedicated device or can reside in another

device such as a bus controller or other controller. The keyboard interface 232 allows

coupling of a keyboard to the computer system 200 and transmits data signals from a keyboard to the computer system 200. A data storage device 231 may be a hard disk drive, a floppy disk drive, a CD-ROM device, a flash memory device or other mass storage device. An audio controller 233 operates to coordinate the recording and playing of sounds is also coupled to the I/O bus 230. A wireless communications interface 234 may be an IR transceiver or a RF transceiver for transmitting and receiving signals between system components of the entertainment system 100 (shown in Figure 1).

A bus bridge 223 couples the first I/O bus 220 to the second I/O bus 230. The bus bridge 223 operates to buffer and bridge data signals between the first I/O bus 220 and the second I/O bus 230.

According to one embodiment, configuring a graphical user interface that presents entertainment system data with multimedia identifiers is performed by the computer system 200 in response to the processor 201 executing sequences of instructions contained in the memory 213. Such instructions may be read into the memory 213 from other computer-readable mediums such as data storage device 231 or from a computer connected to the network via the network controller 211. Execution of the sequences of instructions contained in the memory 213 causes the processor to configure a graphical user interface that presents entertainment system with multimedia identifiers, as will be described hereafter. In alternative embodiments, hard-wire circuitry may be used in place of or in combination with software instructions to implement the present invention. Thus, the present invention is not limited to any specific combination of hardware circuitry and software.

Figure 3 is a block diagram illustrating modules that implement an embodiment of the present invention. The modules may be implemented by software, hardware, or a combination of both hardware and software. Block 310 represents a system control agent that receives entertainment system data from multiple sources. The system control

agent 310 manages the organization and retrieval of the entertainment system data in the database 320, and presents the entertainment system data to users. The system control agent 310 includes a data parser 311, data engine 312, and query interface 313.

Entertainment system data may be received by the system control agent 310 from a plurality of sources. These sources may include modem transfer 341, DSS 342, VBI 343, file input stream, 344, or other input streams 345. Modem transfer source 341 provides entertainment system data obtained from remote systems via a conventional modem. According to one embodiment of the present invention, the remote systems are host systems accessed via a network such as a web server accessed via the Internet or "dial-up" systems accessed via a plain old telephone service (POTS) or an integrated services digital network (ISDN) line. DSS source 342 provides entertainment system data obtained via a digital broadcast and a digital satellite receiver. According to one embodiment of the present invention, the entertainment system data is received via a separate digital channel by the DSS receiver. VBI source 343 provides entertainment system data from the vertical blanking interval of a television broadcast. The entertainment system data is decoded from the VBI of the television broadcast by a VBI decoder. File input stream 344 provides entertainment system data obtained from a computer file. The file may be located locally on the computer system 200 or remotely at another computer system. The file may contain, for example, a video clip, a movie review, a video game or other application. Other input streams 235 represent other conventional sources from which entertainment system data could be obtained. It is to be appreciated that any other conventional medium could be used to provide entertainment system data to system control agent 310, including RF broadcasts, ultrasonic broadcasts, IR broadcasts, or other broadcasts. It should also be appreciated that entertainment system data may be provided by the users manually. Entertainment system data may be obtained from any one or more of the sources 341-345. The

entertainment system data obtained from a source need not specify programs or applications that are obtained from that same source.

Entertainment system data includes data related to entertainment selections. The entertainment selections may include programs, music selections, software applications, files, and other selections that may be made available to users via the entertainment system 100 (shown in Figure 1). Entertainment system data may include information describing an entertainment selection or other information related to the entertainment selection. Examples of entertainment system data include television program information, radio station information, "video-on-demand" program information, laser disc availability, compact disk availability, DVD availability, CD-ROM availability, VHS or 8mm tape availability, software application titles, Intericast™ broadcasts information, network identifiers such as Uniform Resource Locators (URLs), or other data.

In the illustrated embodiment, entertainment system data received from each of the sources 341-345 are in a different, source specific format. Data parser 311 receives the entertainment system data from the sources 341-345 and translates the entertainment system data into a unitary format. The entertainment system data received from the sources 341-345 may include a plurality of information related to an entertainment selection. The data parser 311 generates a record for data corresponding to each entertainment selection. Within each record, the data parser 204 organizes the entertainment system data related to each entertainment system data into traits. Each trait includes an identifier portion that provides a generic description of the trait and a data portion that provides specific data related to the trait or a location of where the specific data may be found. According to one embodiment of the present invention, an identifier portion may be "Title", "Actors", or "Source of Programming" and the data portion may be the title of a movie, actors appearing in the movie, and the station where the movie

may be viewed. According to a another embodiment of the present invention, the identifier portion may be "Program Theme Song", "Video Trailer", "Audio Trailer", "Images of Cast", "Program's Home Page", "Program's Newsgroup", or "Articles about the Program and Cast" and the data portion may include a location of where the information relating to the identifier may be found. For example, the data portion may include a location such as a local address of a graphics file or an audio file stored in the data storage device 232 (shown in Figure 2) that may be executed. Alternatively, the data portion may include a location such as an Internet address or an URL of a web server that includes a file that contains the information listed in the identifier portion.

The data engine 312 receives the entertainment data in the unitary format from the data parser 311 and stores the entertainment system data in the database 320. Figure 4 illustrates entertainment system data record stored in a database 320 according to an embodiment of the present invention, database 320 includes multiple records 410, 420, and 430. Each of the records 410, 420, and 430 includes a source identifier 411, 421, and 431, respectively. The source identifiers identifies sources from which entertainment system data was received to generate the record. It should be appreciated that a record may include entertainment system data received from one or more sources. Each of the records 410, 420, and 430 are shown to include a plurality of traits. It should be appreciated that each record may include any number of traits. Record 410 includes traits 412, 413, and 414. Record 420 includes traits 422, 423, and 424. Record 430 includes traits 432, 433, and 434. Each of the traits includes an identifier portion and a data portion. In an alternate embodiment of the present invention, the records 410, 420, and 430 do not include source identifiers. Referring back to Figure 3, it should be appreciated that the data parser 311 may organize the entertainment system data using any known technique into any known format and that the data engine 312 may configure the database 320 according to any known format.

The query interface 313 configures a graphical user interface that allows a user to access the entertainment system data stored in the database 320. According to an embodiment of the present invention, the query interface 313 presents the entertainment system data stored in the database 320 in text form. According to another embodiment of the present invention, the query interface 313 presents the entertainment system data stored in the database 320 using multimedia identifiers that may include graphical images, animation, audio clips, or other multimedia identifiers. For example, the query interface 313 may present the identifiers of traits of an entertainment selection using the multimedia identifiers and make the multimedia identifiers user selectable. When a graphical image corresponding to an identifier is selected, the query interface 313 retrieves information in the data portion corresponding to the identifier and presents it to the user. According to an embodiment of the present invention, presenting the information to the user may include displaying the information stored in the data section when the information is specific data related to the trait. According to another embodiment of the present invention, presenting the information may include using the information in the data section to locate additional information when the information is a location. In this embodiment, the multimedia identifier may be a hyper link to a remote web server or a link to a system component local to the graphical user interface.

Figure 5 illustrates one example of a graphical user interface according to a first embodiment of the present invention. The graphical user interface 500 displays a plurality of entertainment system data corresponding to an entertainment selection. According to this example, the graphical user interface 500 displays a plurality of entertainment system data in text form. Entertainment system data 510-517 include information about the name of an entertainment selection, the time the entertainment selection is broadcasted, the source of the entertainment selection, the runtime of the entertainment selection, the category and rating of the selection, the cast of the

entertainment selection, and a summary of the selection. According to an embodiment of the present invention, the name of the entertainment selection is displayed at a selection listing area, the time the entertainment selection is broadcasted is displayed at a time heading, and the source of the entertainment selection is displayed at a source heading.

The graphical user interface 500 also includes a plurality of user selectable multimedia interfaces 521-528. The multimedia interfaces 521-528 may be graphical images that represent identifiers of traits which they represent. The multimedia interfaces 521-528 may also be displayed next to words which are related to the identifiers of traits which they represent. When selected, the query interface 313 (shown in Figure 3) retrieves entertainment system data associated with the multimedia identifier and displays the entertainment system data to the user.

As an example, multimedia identifiers 521-523 are star shaped graphical images displayed next to the cast members of the entertainment selection. When selected, the query interface 313 may retrieve entertainment system data related to the cast members of the entertainment selection. The entertainment system data may be a text biography of the cast member, a web page of the cast member, an image, a video clip, or other entertainment system data related to the cast member. Multimedia identifier 524 is a graphical image of two movie reels. When selected, the query interface 313 may retrieve entertainment system data that include video trailer of the entertainment selection and play the trailer. Multimedia identifier 525 is graphical image of a musical note. When selected, the query interface 313 may retrieve entertainment system data that include theme song for the entertainment selection and play the theme song. Multimedia identifier 526 is graphical image of two hands giving a "thumbs-up" and a "thumbs-down". When selected, the query interface 313 may retrieve entertainment system data that include critiques of the entertainment selection. Multimedia identifier 527 is a

graphical image of a magazine. When selected, the query interface 313 may retrieve entertainment system data that include articles written about the entertainment selection. Multimedia identifier 528 is a graphical image of a shirt, a cup, and a pennant. When selected, the query interface 313 may retrieve entertainment system data that include merchandise related to the entertainment selection that may be purchased.

It should be appreciated that the entertainment system data retrieved by the query interface 313 may reside in a plurality of locations. For example, entertainment system data relating to articles written about the entertainment selection may reside at a first location such as on a web server at a location remote to the entertainment system 100 (shown in Figure 1) while entertainment system data relating to the theme song may reside at a second location such as on a compact disk stored in a compact disk player 126 (shown in Figure 1) in the entertainment system 100. The query interface 313 is configured to access the entertainment system data related to a selected multimedia identifier in the database 320 or at a location stored in the database 320.

The multimedia interfaces 521-528 are shown to be graphical images. It should be appreciated that the multimedia interfaces 521-528 shown in Figure 5 are only examples and that according to the present invention, the multimedia identifiers may be configured to represent any image according to any shape or size. It should also be appreciated that the multimedia identifiers may be configured to be an animation, an audio clip, or other multimedia identifiers. The multimedia identifiers display entertainment system data in a friendly and intuitive format in contrast to its static text counterparts.

Figure 6 illustrates an example of a graphical user interface according to another embodiment of the present invention. The graphical user interface 600 includes a entertainment category display section 610 that lists the categories of entertainment system data that may be displayed by the graphical user interface 600. The graphical

user interface shown in Figure 6 is configured to display entertainment system data corresponding to the user's pre-set favorite television channels. The graphical user interface 600 includes a selection listing area 622 that displays the names of entertainment selections that are broadcasted, a time heading 620 that displays the times that the entertainment selections are broadcasted, and a source heading 621 that displays the sources of the entertainment selections in a grid format. The graphical user interface 600 also includes scroll bars 611 and 612 and a day of the week selection bar to allow a user to browse the entertainment system data stored in the database 320.

According to an embodiment of the present invention, sections of the selection listing area 622 corresponding to an entertainment selection may be selected by a user. When selected, the query interface 313 generates a second graphical user interface similar to the graphical user interface shown in Figure 5 to display to the user. The second graphical user interface may display additional entertainment system data relating to the entertainment selection and include multimedia identifiers that are selectable to retrieve additional entertainment system data. It should be appreciated that the graphical user interface 600 may also include multimedia identifiers that are selectable to retrieve additional entertainment system data related to an entertainment selection.

Figure 7 is a flow chart that illustrates a method for managing entertainment system data according to an embodiment of the present invention. At step 701, a location of the entertainment system data corresponding to a multimedia identifier that is selected is determined. According to an embodiment of the present invention, the selected multimedia identifier corresponds to an identifier portion in a record stored in a database of entertainment system data. The entertainment system data corresponding to the multimedia identifier may be stored in a data portion in that record or at a location written in the data portion of the record.

At step 702, the entertainment system data corresponding to the selected multimedia identifier is retrieved. The entertainment system data corresponding to the selected multimedia identifier may be retrieved from the data portion of the record in the database or at the location indicated by the pointer stored in the data portion of the database. It should be appreciated that the location may be a remote web server or a local storage medium.

At step 703, the entertainment system data is presented. According to an embodiment of the present invention, the entertainment system data may be text or graphical data that may be displayed on a television or monitor. According to another embodiment of the present invention, the entertainment system data may be audio data that may be played on a speaker system.

In the foregoing specification, the invention has been described with references to specific embodiments thereof. It will, however be evident that various modifications and changes may be made thereto without departing from the broader spirit and scope of the invention. The specification and drawings are, accordingly, to be regarded in an illustrative rather than restrictive sense.

CLAIMS

What is claimed is:

1 1. A graphical user interface (GUI) for displaying entertainment system
2 data, comprising:
3 a first multimedia identifier that is selectable to deliver entertainment system data
4 stored at a first location relating to an entertainment selection; and
5 a second multimedia identifier that is selectable to deliver entertainment system
6 data stored at a second location relating to the entertainment selection.

1 2. The GUI of Claim 1, wherein the first location is a remote web server
2 and the second location is a system component local to the GUI.

1 3. The GUI of Claim 1, wherein the first location is a first system
2 component local to the GUI and the second location is a second system component local
3 to the GUI.

1 4. The GUI of Claim 1, wherein the first multimedia identifier is a graphical
2 image.

1 5. The GUI of Claim 1, wherein the first multimedia identifier is an
2 animation.

1 6. The GUI of Claim 1, wherein the entertainment system data is audio
2 data.

1 7. The GUI of Claim 1, wherein the entertainment system data is text data.

1 8. The GUI of Claim 1, wherein the entertainment system data is graphical
2 data.

1 9. A graphical user interface (GUI) for displaying entertainment system
2 data, comprising:

3 a selection listing area that displays a name of an entertainment selection;
4 a time heading that displays a time the entertainment selection is broadcasted;
5 a source heading that displays a source of the entertainment selection;
6 a multimedia identifier that is selectable to deliver multimedia information related
7 to the entertainment selection at a location.

1 10. The GUI of Claim 9, wherein the location is a web server and the
2 multimedia identifier is a hyperlink to the web server.

1 11. The GUI of Claim 9, wherein the location is a system component local to
2 the GUI.

1 12. The GUI of Claim 9, wherein the multimedia identifier is a graphical
2 image.

1 13. The GUI of Claim 9, wherein the multimedia identifier is an animation.

1 14. A computer system, comprising:
2 a bus;
3 a processor coupled to the bus;

4 a memory coupled to the bus;
5 a display device, coupled to the bus, that configures a graphical user interface
6 (GUI) that displays a first multimedia identifier that is selectable to deliver entertainment
7 system data stored at a first location relating to an entertainment selection and a second
8 multimedia identifier that is selectable to deliver entertainment system data stored at a
9 second location relating to the entertainment selection.

1 15. The computer system of Claim 14, wherein the first location is a remote
2 web server and the second location is a system component local to the GUI.

1 16. The computer system of Claim 14, wherein the first location is a first
2 system component local to the GUI and the second location is a second system
3 component local to the GUI.

1 17. A method for managing entertainment system data, comprising:
2 determining a location of the entertainment system data corresponding to a
3 multimedia identifier that is selected;
4 retrieving the entertainment system data at the location; and
5 presenting the entertainment system data.

1 18. The method of Claim 17, wherein the step of determining the location of
2 the entertainment system data comprises:
3 determining an identifier that corresponds to the multimedia identifier; and
4 reading a data section corresponding to the identifier in a database.

- 1 19. The method of Claim 18, wherein the step of retrieving the entertainment
- 2 system comprises:
- 3 retrieving the entertainment system data at the data section; and
- 4 retrieving the entertainment system data at a location stored in the data section if
- 5 the entertainment system data at the data section is a pointer to the location.

46260-3876260

A graphical user interface for displaying entertainment system data includes a first multimedia identifier that is selectable to deliver entertainment system data stored at a first location relating to an entertainment selection. The graphical user interface also includes a second multimedia identifier that is selectable to deliver entertainment system data stored at a second location relating to the entertainment selection.




FIG. 1

200 201 210 211 213 220 221 222 223 230 231 232 233 234




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6

DETERMINE A LOCATION OF DATA CORRESPONDING
TO A SELECTED MULTIMEDIA IDENTIFIER
701



RETRIEVE THE DATA
702



PRESENT THE DATA
703

FIG. 7

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION
(FOR **INTEL CORPORATION** PATENT APPLICATIONS)

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

GRAPHICAL USER INTERFACE WITH MULTIMEDIA IDENTIFIERS

the specification of which

XX is attached hereto.
_____ was filed on _____ as
United States Application Number _____
or PCT International Application Number _____
and was amended on _____
(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above. I do not know and do not believe that the claimed invention was ever known or used in the United States of America before my invention thereof, or patented or described in any printed publication in any country before my invention thereof or more than one year prior to this application, that the same was not in public use or on sale in the United States of America more than one year prior to this application, and that the invention has not been patented or made the subject of an inventor's certificate issued before the date of this application in any country foreign to the United States of America on an application filed by me or my legal representatives or assigns more than twelve months (for a utility patent application) or six months (for a design patent application) prior to this application.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed

| | | | | |
|-------------------|--------------------|---------------------------------|-----|----|
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | Yes | No |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | Yes | No |
| _____ (Number) | _____ (Country) | _____ (Day/Month/Year Filed) | Yes | No |

I hereby claim the benefit under title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below

| | |
|-------------------------------|----------------------|
| _____ (Application Number) | _____ Filing Date |
| _____ (Application Number) | _____ Filing Date |

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application:

| | | |
|-------------------------------|----------------------|--|
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |
| _____ (Application Number) | _____ Filing Date | _____ (Status -- patented, pending, abandoned) |

2025-09-16 14:00:00

I hereby appoint Aloysius T. C. AuYeung, Reg. No. 35,432; William Thomas Babbitt, Reg. No. 39,591; Jordan Michael Becker, Reg. No. 39,602; Bradley J. Berezna, Reg. No. 33,474; Michael A. Bernadacou, Reg. No. 35,934; Roger W. Blakely, Jr., Reg. No. 25,831; Gregory D. Caldwell, Reg. No. 39,926; Kent M. Chen, Reg. No. 39,630; Lawrence M. Cho, Reg. No. 39,942; Thomas M. Coester, Reg. No. 39,637; Roland B. Cortes, Reg. No. 39,152; William Donald Davis, Reg. No. 38,428; Michael Anthony DeSanctis, Reg. No. 39,957; Daniel M. De Vos, Reg. No. 37,813; Karen L. Feisthamel, Reg. No. 40,264; James Y. Go, Reg. No. P-40,621; Tarek N. Fahmi, Reg. No. P-41,402; David R. Halvorson, Reg. No. 33,395; Eric Ho, Reg. No. 39,711; George W. Hoover II, Reg. No. 32,992; Eric S. Hyman, Reg. No. 30,139; Dag H. Johansen, Reg. No. 36,172; Stephen L. King, Reg. No. 19,180; Dolly M. Lee, Reg. No. 39,742; Michael J. Mallie, Reg. No. 36,591; Kimberley G. Nobles, Reg. No. 38,255; Ronald W. Reagin, Reg. No. 20,340; James H. Salter, Reg. No. 35,668; William W. Schaal, Reg. No. 39,018; James C. Scheller, Reg. No. 31,195; Charles E. Shemwell, Reg. No. 40,171; Maria McCormack Sobrino, Reg. No. 31,639; Stanley W. Sokoloff, Reg. No. 25,128; Allan T. Sponseller, Reg. No. 38,318; Steven R. Sponseller, Reg. No. 39,384; Edwin H. Taylor, Reg. No. 25,129; Lester J. Vincent, Reg. No. 31,460; John Patrick Ward, Reg. No. 40,216; Ben J. Yorks, Reg. No. 33,609; and Norman Zafman, Reg. No. 26,250; my attorneys; and Robert Andrew Diehl, Reg. No. P-40,992; Sharmini Nathan Green, Reg. No. P-41,410; Thomas A. Hassing, Reg. No. 36,159; Edwin A. Sloane, Reg. No. 34,728; and Judith A. Szepesi, Reg. No. 39,393; my patent agents, of BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, with offices located at 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025, telephone (310) 207-3800, and Joseph R. Bond, Reg. No. 36,458; Richard C. Calderwood, Reg. No. 35,468; Sean Fitzgerald, Reg. No. 32,027; Naomi Obinata, Reg. No. 39,320; Thomas C. Reynolds, Reg. No. 32,488; Howard A. Skaist, Reg. No. 36,008; and Raymond J. Werner, Reg. No. 34,752; my patent attorneys, of INTEL CORPORATION with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected herewith.

Send correspondence to Lawrence M. Cho, BLAKELY, SOKOLOFF, TAYLOR & ZAFMAN LLP, 12400 Wilshire Boulevard, 7th Floor, Los Angeles, California 90025 and direct telephone calls to Lawrence M. Cho, (408) 720-8598.
(Name of Attorney or Agent)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Full Name of Sole/First Inventor Jean M. Goldschmidt Iki

Inventor's Signature _____ Date _____

Residence San Jose, California Citizenship U.S.A.
(City, State) (Country)

Post Office Address 475 Milan Drive, #107
San Jose, California 95134

Full Name of Second/Joint Inventor Anthony Alexander Shah-Nazaroff

Inventor's Signature _____ Date _____

Residence Santa Clara, California Citizenship U.S.A.
(City, State) (Country)

Post Office Address 779 Hilmar Street
Santa Clara, California 95050

Full Name of Third/Joint Inventor Christopher D. Williams

Inventor's Signature _____ Date _____

Residence Soquel, California Citizenship U.K.
(City, State) (Country)

Post Office Address 687 Pauhana Drive
Soquel, California 95073

Full Name of Fourth/Joint Inventor Kathleen Lane

Inventor's Signature _____ Date _____

Residence Los Altos, California Citizenship U.S.A.
(City, State) (Country)

Post Office Address 10695 Magdalena
Los Altos, California 94024

Title 37, Code of Federal Regulations, Section 1.56
Duty to Disclose Information Material to Patentability

(a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclose information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclose all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:

- (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.

(b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made of record in the application, and

- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
- (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

A prima facie case of unpatentability is established when the information compels a conclusion that a claim is unpatentable under the preponderance of evidence, burden-of-proof standard, giving each term in the claim its broadest reasonable construction consistent with the specification, and before any consideration is given to evidence which may be submitted in an attempt to establish a contrary conclusion of patentability.

(c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:

- (1) Each inventor named in the application;
- (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.

(d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.